



ABN: 97 008 045 083

702 Murray Street, West Perth
Western Australia 6005
Phone: 61 8 9213 9400
Fax: 61 8 9213 9444
Website: www.resmin.com.au

8th April 2015

The Company Announcements Office
Australian Securities Exchange Limited
4th Floor, 20 Bridge Street
SYDNEY NSW 2000

Wowo Gap exploration intersects high grade Nickel up to 3.5m @ 2.15%Ni

Resource Mining Corporation Limited (ASX: RMI) is pleased to provide an update for the Wowo Gap Nickel Laterite Project.

Subsequent to the last ASX Announcement on 18 March 2015, additional assay results have been received for a further 29 auger and 13 diamond drill holes. The auger assays relate to drilling in the Joan East area whilst the assays from the diamond holes are from drilling in the Koyama area.

As previously advised, the current exploration program has been designed to test the exploration potential of the rocky saprolite zone of the nickel laterite profile at Wowo Gap previously identified in both diamond and auger drilling campaigns. Much of the previous exploration at Wowo Gap was focussed on nickel ore suitable for High Pressure Acid Leach (HPAL) processing, which occurs in the softer limonite zone immediately above the rocky saprolite zone, with low cost auger drilling techniques predominating.

Although many of the auger drill holes in previous exploration campaigns ended in higher nickel grade rocky saprolite, the auger drilling was unable to penetrate the full thickness of the rocky saprolite zone. Auger drilling has been and is now being used to identify areas of higher nickel grade rocky saprolite for subsequent diamond drilling, which can penetrate the full thickness of the rocky saprolite.

1. Auger Drilling

Significant nickel intercepts ($\geq 1.0\%Ni$) are presented in Table 1

Assay results included here are from holes drilled in the central and northern part of Joan East, (see Figure 1). The assay results are encouraging and show numerous intercepts of thick (eg Hole WGDH463 with 8.4m @ 1.39%Ni) and/or high grade nickel (eg Hole WGDH467 with 3.5m @ 2.15%Ni).

These results have identified an encouraging target for follow up diamond drilling to test the full thickness of the rocky saprolite zone below.

Table 1 – Auger Drilling Significant Nickel Assays (≥1% Ni)

Hole	AMG East	AMG North	RL	Max Depth	Depth From	Depth To	Width	Nickel %
WGDH463	712,877	8,947,001	317	17.40	9.00	17.40	8.40	1.39%
				Including	15.00	17.40	2.40	1.84%
WGDH464	712,824	8,947,101	327	9.00	3.00	4.50	1.50	1.21%
WGDH465	713,028	8,947,208	398	3.10	2.15	3.10	0.95	1.67%
WGDH466	713,128	8,947,293	275	4.20	1.00	4.20	3.20	1.71%
				Including	2.00	4.20	2.20	1.94%
WGDH467	712,961	8,947,401	252	8.50	3.00	8.50	5.50	1.81%
				Including	5.00	8.50	3.50	2.15%
WGDH468	712,940	8,947,300	269	17.10	11.93	15.20	3.27	1.08%
WGDH470	712,904	8,947,400	278	13.20	6.00	13.20	7.20	1.24%
				Including	11.00	13.20	2.20	1.46%
WGDH471	712,751	8,947,403	301	11.90	10.00	11.90	1.90	1.08%
WGDH472	712,792	8,947,503	281	6.30	3.00	6.30	3.30	1.36%
				Including	4.00	5.00	1.00	1.69%
WGDH474	712,694	8,947,706	273	4.30	1.00	4.30	3.30	1.62%
				Including	2.00	4.30	2.30	1.86%
WGDH475	712,929	8,947,704	250	9.10	0.00	9.10	9.10	1.32%
				Including	5.00	8.00	3.00	1.62%
WGDH476	713,011	8,947,807	241	2.27	0.00	2.27	2.27	1.68%
				Including	1.00	2.27	1.27	1.99%
WGDH477	713,086	8,947,805	256	2.85	0.00	2.85	2.85	1.13%
WGDH478	713,056	8,947,897	249	2.00	0.00	2.00	2.00	1.35%
WGDH479	713,072	8,947,700	278	7.05	2.50	4.50	2.00	1.11%
WGDH480	713,085	8,947,603	282	3.70	2.00	3.70	1.70	1.44%
WGDH481	712,900	8,947,603	274	7.42	1.20	7.42	6.22	1.25%
				Including	5.20	7.42	2.22	1.43%
WGDH486	713,095	8,946,684	332	6.00	1.00	6.00	5.00	1.38%
				Including	3.00	6.00	3.00	1.61%
WGDH487	712,665	8,946,805	389	4.60	3.20	4.60	1.40	1.05%
WGDH488	712,709	8,946,695	394	15.30	7.20	13.60	6.40	1.05%
WGDH491	712,871	8,946,500	394	14.50	5.00	6.00	1.00	1.03%
					8.00	9.00	1.00	1.01%




Figure 1, Joan East Auger Holes

2. Diamond Drilling

To date, results from 19 diamond holes in the central and northern part of the Koyama Prospect within the current exploration target drilling program have been received and the hole locations are shown in Figure 2. Results from the initial six (6), holes were reported on 18th March 2015 and results from a further 13 diamond holes have now been received.

All holes returned nickel assays in excess of 1.0% Ni, six holes returned nickel assays in excess of 1.5% Ni and two holes (WGDD011 and WGDD015) intersected multiple zones of mineralisation downhole.

Significant nickel intercepts (>1.0%Ni) are presented in Table 2.

The diamond drilling program to test the entire Koyama Prospect will require approximately 30 holes to be drilled and is expected to be completed early April 2015 with results available 4 to 6 weeks later.

Table 2 – Diamond Drilling Significant Nickel Assays (≥1% Ni)

Hole	AMG East	AMG North	RL	Max Depth	Depth From	Depth To	Width	Nickel %
WGDD007	711,330	8,945,803	735	11.80	4.25	7.00	2.75	1.31%
				Including	6.00	7.00	1.00	1.54%
WGDD008	711,250	8,945,802	791	13.20	9.00	11.45	3.45	1.07%
WGDD009	710,935	8,946,199	852	11.60	3.10	4.85	1.75	1.10%
WGDD010	711,136	8,946,206	815	16.40	8.50	11.85	3.35	1.30%
WGDD011	711,236	8,946,205	784	10.70	6.00	7.20	1.20	1.22%
					8.30	9.50	1.20	1.68%
WGDD012	711,138	8,946,301	783	8.30	5.10	6.00	0.90	1.62%
WGDD013	711,260	8,946,300	747	14.20	8.00	13.15	5.15	1.33%
				Including	11.60	13.15	1.55	1.77%
WGDD014	711,200	8,946,404	766	11.00	4.35	7.03	2.68	1.35%
WGDD015	711,350	8,946,410	743	17.50	4.90	8.35	3.45	1.45%
					9.10	11.60	2.50	1.65%
				Including	10.00	11.60	1.60	1.84%
WGDD016	711,250	8,946,499	766	11.80	7.00	8.10	1.10	1.33%
WGDD017	711,398	8,946,505	722	12.20	3.00	10.00	7.00	1.26%
				Including	5.00	7.62	2.62	1.71%
WGDD018	711,553	8,946,519	674	12.70	4.00	11.00	7.00	1.12%




Figure 2, Koyama Diamond Holes

Details of all holes drilled are presented in Appendices 1 and 2.

The completion of the currently planned auger and diamond drilling programs is anticipated in the second week of April. Samples will be sent for assay, results interpreted and a decision for future drilling made once all results are available and geological interpretations made. Decisions regarding the next stage of target testing are anticipated to be made late May.

Yours sincerely

Warwick Davies
Managing Director

The information in this Report that relates to Exploration Targets, Exploration Results, Mineral Resources or Ore Reserves is based on information compiled by Mark Hill, A Competent Person who is a Member of the Australian Institute of Geologists. Mark Hill is an employee of Exman Consultancy and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the “Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves”. Mark Hill consents to the inclusion in this Report of the matters based on his information in the form and context in which it appears.

Section 1 Sampling Techniques and Data

Criteria	Explanation
Sampling techniques	The mineralisation is sampled from NQ3 core for both the auger and diamond drilling. Half core was sampled in typical 1 metre length with samples being placed in a pre-numbered calico bag.
Drilling techniques	Auger drilling was conducted using RMC's custom man-portable rotary core rig which recovers NQ3 core through the clay profile and the diamond drilling was conducted using RMC's purpose built man-portable diamond rig.
Drill sample recovery	As the core is recovered from the triple tube (NQ3), core recoveries are typically very good. The recoveries were logged and recorded in the database. Overall recoveries are >90% and there are no significant sample recovery problems.
Logging	Logging of the core records lithology, mineralogy, weathering, colour and other features of the samples. The core from each core run were placed in plastic core trays for logging and photographed, then sampled.
Sub-sampling techniques and sample preparation	Core samples were collected from half core, on typical 1 metre lengths through the clay profile. Certified reference materials were used at a rate of 1 standard per 20 samples and a field duplicate is collected from the unsampled half core for every second hole. Samples were dried and pulverised to produce a sub sample for analysis for Ni, Co, Al ₂ O ₃ , CaO, Cr ₂ O ₃ , Fe ₂ O ₃ , K ₂ O, LOI, MgO, MnO, Na ₂ O, P ₂ O ₅ , SiO ₂ and LOI by fusion XRF analysis.
Quality of assay data and laboratory tests	The core samples were sent to Intertek in Lae for sample preparation, with the pulps being sent to Intertek Jakarta for fusion XRF analysis for Ni, Co, Al ₂ O ₃ , CaO, Cr ₂ O ₃ , Fe ₂ O ₃ , K ₂ O, LOI, MgO, MnO, Na ₂ O, P ₂ O ₅ , SiO ₂ and LOI. No portable XRF machines were used to determine any element concentrations used in the grade determinations. Sample preparation checks for fineness were carried out by the laboratory as part of their internal procedures to ensure the grind size of 85% passing 75 micron was being attained. Laboratory QAQC involves the use of internal lab standards using certified reference material, blanks, splits and replicates as part of the in house procedures. Certified reference materials were used in this drilling program, with a certified standard added to every second hole. Field duplicate samples were submitted from alternate holes.
Verification of sampling and assaying	Logging data was collected using a set of standard paper logging sheets which were entered into Maxwell's Logchief logging software. The information was sent to Mr M Hill in the Perth office for validation and forwarded to Maxwell's for importing into the Datashed Database.
Location of data points	Hole collars were located by GPS in AMG'84, Zone 55 datum. Expected accuracy is ± 3 m for easting, northing coordinates. No Downhole surveys were conducted due to the shallow nature of the holes
Data spacing and distribution	The nominal drill hole spacing is 200 metres on 100 metre spaced east – west lines.
Orientation of data in relation to geological structure	The holes are drilled vertically, perpendicular to the layers of mineralisation within the lateritic deposit.
Sample security	Chain of custody is managed by RMC. Samples were stored on site and delivered to an independent transport company in Port Moresby which delivered them to the assay laboratory in Lae the following day.
Audits or reviews	The last database audit was conducted by Maxwell's in 2011 prior to the publishing of the 2011 Resource Estimation (JORC2004)

Section 2 Reporting of Exploration Results

Criteria	Explanation
Mineral tenement and land tenure status	EL1165 tenement was granted to Niugini Nickel Ltd in 1999. Niugini Nickel Ltd is a wholly owned subsidiary of Resource Mining Corporation Ltd (RMC), an ASX listed public company. The tenement is in good standing and no known impediments exist.
Exploration done by other parties	Previous exploration activities has largely been restricted to stream sediment geochemical sampling to assess gold and platinum group minerals.
Geology	Ultramafics crop out at the eastern end of the Didana Range adjacent to and within the western section of the Wowo Gap Project. The Sivai Breccia, co-host of the Wowo Gap mineralisation, flanks the ultramafic at the eastern end of the Didana Range adjacent the Bereruma Fault. The ultramafic breccia also occurs along the south side of the Didana Range on the Ansuna and Boge Plateaux. The ultramafic breccia and tectonite ultramafic have been interpreted as having formed during the thrusting of the oceanic ultramafic-gabbro-basalt crust onto the Papuan Peninsula. These structurally deformed units dip to the southeast and south parallel to the Bereruma Fault. A complete lateritic profile is preserved, with partial truncation associated with recent drainage systems. The depth of weathering varies according to rock type and the degree of brecciation. The lateritic profile is typically 10 to 15 metres thick, occasionally more than 30 metres above the Sivai Breccia. The ultramafics crop out at the eastern end of the Didana Range adjacent to and within the western section of the Wowo Gap Project. The Sivai Breccia, co-host of the Wowo Gap mineralisation, flanks the ultramafic at the eastern end of the Didana Range adjacent the Bereruma Fault. The ultramafic breccia also occurs along the south side of the Didana Range on the Ansuna and Boge Plateaux. The ultramafic breccia and ultramafic have been interpreted as having formed during the thrusting of the oceanic ultramafic-gabbro-basalt crust onto the Papuan Peninsula. These structurally deformed units dip to the southeast and south parallel to the Bereruma Fault. A complete lateritic profile is preserved, with partial truncation associated with recent drainage systems. The depth of weathering varies according to rock type and the degree of brecciation. The lateritic profile is typically 10 to 15 metres thick, occasionally more than 30 metres above the Sivai Breccia.
Drill hole Information	Refer to the body of text and Appendices
Data aggregation methods	All reported assays have been length weighted. No top-cuts have been applied. A nominal 1.0 % Ni lower cutoff is applied. No metal equivalent values are used for reporting exploration results.
Relationship between mineralisation widths and intercept lengths	The mineralisation is relatively flat lying, being associated with the lateritic weathering of the underlying ultramafic lithologies. The hole are all drilled vertical such that the reported downhole intersections approximate to the true thickness of the lateritic zones.
Diagrams	Refer to Figure 1 in body of text.
Balanced reporting	All significant results above 1.0% Ni within the zones of interest are reported.
Other substantive exploration data	Ground Penetrating Radar (GPR) data supports the interpretation of the clay and rocky saprolite material types, and was used for drill hole planning
Further work	Follow up drilling has been planned to infill the hole spacing to 100m on 100m line spacing.

Appendix 1 Drill Hole Details

Hole_ID	AMG84_East	AMG84_North	AMG84_RL	Max_Depth	Dip	Azimuth
WGDH463	712,877	8,947,001	317	17.40	-90	0
WGDH464	712,824	8,947,101	327	9.00	-90	0
WGDH465	713,028	8,947,208	398	3.10	-90	0
WGDH466	713,128	8,947,293	275	4.20	-90	0
WGDH467	712,961	8,947,401	252	8.50	-90	0
WGDH468	712,940	8,947,300	269	17.10	-90	0
WGDH469	712,844	8,947,295	285	2.05	-90	0
WGDH470	712,904	8,947,400	278	13.20	-90	0
WGDH471	712,751	8,947,403	301	11.90	-90	0
WGDH472	712,792	8,947,503	281	6.30	-90	0
WGDH473	712,746	8,947,602	255	10.10	-90	0
WGDH474	712,694	8,947,706	273	4.30	-90	0
WGDH475	712,929	8,947,704	250	9.10	-90	0
WGDH476	713,011	8,947,807	241	2.27	-90	0
WGDH477	713,086	8,947,805	256	2.85	-90	0
WGDH478	713,056	8,947,897	249	2.00	-90	0
WGDH479	713,072	8,947,700	278	7.05	-90	0
WGDH480	713,085	8,947,603	282	3.70	-90	0
WGDH481	712,900	8,947,603	274	7.42	-90	0
WGDH482	712,876	8,947,505	282	5.10	-90	0
WGDH483	713,050	8,947,504	272	3.60	-90	0
WGDH484	713,113	8,946,805	302	0.70	-90	0
WGDH485	713,011	8,946,806	318	0.40	-90	0
WGDH486	713,095	8,946,684	332	6.00	-90	0
WGDH487	712,665	8,946,805	389	4.60	-90	0
WGDH488	712,709	8,946,695	393	15.30	-90	0
WGDH489	712,791	8,946,590	408	18.00	-90	0
WGDH490	712,871	8,946,500	394	11.60	-90	0
WGDH491	712,731	8,946,390	402	14.50	-90	0
WGDD007	711,330	8,945,803	735	11.80	-90	0
WGDD008	711,250	8,945,802	791	13.20	-90	0
WGDD009	710,935	8,946,199	852	11.60	-90	0
WGDD010	711,136	8,946,206	815	16.40	-90	0
WGDD011	711,236	8,946,205	784	10.70	-90	0
WGDD012	711,138	8,946,301	783	8.30	-90	0
WGDD013	711,260	8,946,300	747	14.20	-90	0
WGDD014	711,200	8,946,404	766	11.00	-90	0
WGDD015	711,350	8,946,410	743	17.50	-90	0
WGDD016	711,250	8,946,499	766	11.80	-90	0
WGDD017	711,398	8,946,505	722	12.20	-90	0
WGDD018	711,553	8,946,519	674	12.70	-90	0
WGDD019	711,609	8,946,603	660	7.80	-90	0

Appendix 2 Drill Hole Assay Data

Hole_ID	Depth_From	Depth_To	Ni_pct	Fe2O3_pct	MgO_pct	MnO_pct	SiO2_pct
WGDH463	0.00	1.00	0.03	14.30	0.47	0.02	28.50
WGDH463	1.00	2.00	0.01	15.00	0.05	-0.01	22.10
WGDH463	2.00	3.00	-0.01	15.80	0.12	0.01	12.10
WGDH463	3.00	4.00	0.08	21.90	0.25	0.02	19.70
WGDH463	4.00	5.00	0.16	30.00	0.43	0.04	22.90
WGDH463	5.00	6.00	0.42	54.10	0.79	0.12	9.05
WGDH463	6.00	7.00	0.75	65.10	1.01	0.52	5.74
WGDH463	7.00	8.00	0.92	63.90	1.05	0.68	6.50
WGDH463	8.00	9.00	0.98	65.80	1.50	0.62	7.13
WGDH463	9.00	10.00	1.07	63.80	1.30	0.65	7.37
WGDH463	10.00	11.00	1.21	73.60	0.72	0.62	3.73
WGDH463	11.00	12.00	1.32	76.30	0.63	1.29	3.70
WGDH463	12.00	13.00	1.13	62.90	0.53	1.73	20.10
WGDH463	13.00	14.00	1.27	70.60	0.65	1.57	7.62
WGDH463	14.00	15.00	1.25	72.80	0.76	1.18	4.61
WGDH463	15.00	16.00	1.55	72.10	0.97	1.03	4.71
WGDH463	16.00	17.00	1.89	70.10	1.29	1.27	6.01
WGDH463	17.00	17.40	2.44	64.60	2.17	1.14	13.10
WGDH464	0.00	1.00	0.28	28.30	0.69	0.08	27.70
WGDH464	1.00	2.00	0.34	33.20	0.39	0.06	24.50
WGDH464	2.00	3.00	0.59	45.20	0.72	0.20	18.70
WGDH464	3.00	4.00	1.19	68.90	0.97	0.70	5.66
WGDH464	4.00	4.50	1.24	61.80	1.79	1.08	9.56
WGDH464	4.50	5.00	0.44	10.20	36.40	0.13	39.80
WGDH464	5.00	6.00	0.54	8.06	35.90	0.12	40.70
WGDH464	6.00	7.00	0.97	18.00	29.10	0.45	36.90
WGDH464	7.00	8.20	0.59	8.77	36.10	0.12	40.80
WGDH464	8.20	9.00	1.03	16.70	25.30	0.28	41.60
WGDH465	0.00	1.15	0.77	60.80	1.07	0.81	10.70
WGDH465	1.15	2.15	0.41	12.30	1.14	0.12	41.30
WGDH465	2.15	3.10	1.67	66.80	2.72	0.95	10.00
WGDH466	0.00	1.00	0.66	56.30	1.00	0.48	9.91
WGDH466	1.00	2.00	1.21	74.60	1.12	0.96	4.81
WGDH466	2.00	3.20	1.83	66.30	3.64	1.06	9.59
WGDH466	3.20	4.20	2.07	18.30	28.10	0.27	40.00
WGDH467	0.00	1.00	0.21	23.80	0.63	0.30	30.10
WGDH467	1.00	2.00	0.31	30.90	0.38	0.09	25.90
WGDH467	2.00	3.00	0.52	42.90	0.70	0.21	18.90
WGDH467	3.00	4.00	1.19	68.20	1.96	0.68	7.72
WGDH467	4.00	5.00	1.26	71.40	1.62	1.27	6.40
WGDH467	5.00	6.00	1.73	28.10	23.10	0.39	35.50
WGDH467	6.00	7.00	2.02	46.20	11.30	0.67	24.30
WGDH467	7.00	8.20	2.69	44.10	10.10	0.61	27.20
WGDH467	8.20	8.50	1.79	14.90	32.00	0.19	42.20
WGDH468	0.00	0.80	0.25	27.60	1.24	0.39	29.30
WGDH468	0.80	1.50	0.30	27.80	0.49	0.09	29.40

WGDH468	1.50	2.00	0.33	26.70	0.51	0.06	29.80
WGDH468	2.00	3.00	0.27	27.50	0.42	0.06	29.30
WGDH468	3.00	4.00	0.26	26.70	0.33	0.06	29.60
WGDH468	4.00	5.00	0.23	25.00	0.32	0.06	30.50
WGDH468	5.00	6.00	0.28	30.00	0.39	0.07	27.50
WGDH468	6.00	7.00	0.38	32.80	0.42	0.08	25.70
WGDH468	7.00	8.00	0.35	35.30	0.51	0.14	24.30
WGDH468	8.00	9.00	0.44	43.60	0.57	0.13	19.80
WGDH468	9.00	10.00	0.54	54.50	0.88	0.37	14.40
WGDH468	10.00	11.00	0.13	19.90	1.48	0.41	34.40
WGDH468	11.00	11.93	0.23	14.60	1.56	0.32	38.20
WGDH468	11.93	13.00	1.09	26.00	9.31	0.42	38.60
WGDH468	13.00	14.00	1.14	22.30	17.70	0.31	39.20
WGDH468	14.00	15.20	1.03	21.00	16.60	0.31	40.20
WGDH468	15.20	15.65	0.40	12.90	9.39	0.19	41.80
WGDH468	15.65	16.80	0.23	9.34	14.60	0.13	46.50
WGDH468	16.80	17.10	0.32	11.20	25.40	0.15	43.50
WGDH469	0.00	0.80	0.53	43.80	2.26	0.39	20.00
WGDH469	0.80	1.60	0.87	68.90	0.99	0.78	6.92
WGDH469	1.60	2.05	0.77	26.90	18.00	0.39	30.20
WGDH470	0.80	1.60	0.26	19.80	0.26	0.03	31.20
WGDH470	1.60	2.40	0.15	21.60	0.18	0.02	29.10
WGDH470	2.40	3.20	0.50	45.00	0.45	0.12	16.90
WGDH470	3.20	4.00	0.82	65.50	0.59	0.70	7.15
WGDH470	4.00	5.00	0.84	65.30	0.52	0.69	7.51
WGDH470	5.00	6.00	0.82	67.30	0.75	1.00	6.58
WGDH470	6.00	7.00	1.12	67.00	0.76	0.80	7.10
WGDH470	7.00	8.00	0.96	73.30	0.77	1.07	4.36
WGDH470	8.00	9.00	1.12	70.80	0.82	1.14	5.26
WGDH470	9.00	10.00	1.16	64.00	2.09	1.46	9.68
WGDH470	10.00	11.00	1.36	57.70	3.84	1.59	13.20
WGDH470	11.00	12.00	1.47	41.40	12.20	0.61	27.90
WGDH470	12.00	12.80	1.38	24.40	22.30	0.37	37.90
WGDH470	12.80	13.20	1.59	19.90	27.80	0.30	39.20
WGDH471	0.00	1.00	0.10	19.70	0.44	0.04	34.20
WGDH471	1.00	2.00	0.17	21.00	0.16	0.04	32.90
WGDH471	2.00	3.00	0.23	27.00	0.35	0.06	28.80
WGDH471	3.00	4.00	0.34	44.50	0.44	0.11	19.30
WGDH471	4.00	5.00	0.21	28.50	0.32	0.12	28.30
WGDH471	5.00	6.00	0.24	34.20	0.35	0.23	23.80
WGDH471	6.00	7.00	0.37	49.40	0.50	0.41	15.10
WGDH471	7.00	8.00	0.57	53.50	0.92	0.91	12.70
WGDH471	8.00	9.30	0.96	73.50	0.92	2.16	4.29
WGDH471	9.30	10.00	0.92	18.40	28.60	0.34	39.10
WGDH471	10.00	11.20	1.03	18.10	27.00	0.26	40.50
WGDH471	11.20	11.90	1.16	14.20	31.00	0.19	41.00
WGDH472	0.00	1.00	0.27	31.20	0.59	0.04	23.50
WGDH472	1.00	2.00	0.52	56.50	0.75	0.41	8.34
WGDH472	2.00	3.00	0.92	74.60	0.89	0.78	3.94

WGDH472	3.00	4.00	1.01	70.30	1.10	1.04	5.39
WGDH472	4.00	5.00	1.69	66.10	2.62	1.01	8.41
WGDH472	5.00	6.30	1.38	39.20	15.10	0.54	28.40
WGDH473	0.00	0.80	0.33	35.50	1.16	0.10	23.50
WGDH473	0.80	1.60	0.31	33.60	0.50	0.03	24.70
WGDH473	1.60	2.40	0.22	24.40	0.63	0.07	31.80
WGDH473	2.40	3.40	0.41	35.90	1.15	0.42	26.60
WGDH473	3.40	4.00	0.52	14.30	9.04	0.15	36.90
WGDH473	4.00	4.80	0.31	11.20	10.20	0.10	41.30
WGDH473	4.80	5.60	0.23	9.23	11.80	0.13	45.10
WGDH473	5.60	6.40	0.43	22.00	28.40	0.31	36.00
WGDH473	6.40	7.20	0.42	18.50	30.80	0.25	37.00
WGDH473	7.20	8.00	0.60	17.50	31.40	0.22	37.40
WGDH473	8.00	9.00	0.52	11.20	34.90	0.16	40.20
WGDH473	9.00	10.10	0.47	8.95	36.50	0.12	40.80
WGDH474	0.00	1.00	0.73	57.40	2.16	0.64	11.40
WGDH474	1.00	2.00	1.07	61.30	2.58	0.99	9.76
WGDH474	2.00	2.90	1.42	66.00	2.37	1.35	8.73
WGDH474	2.90	4.30	2.15	23.60	24.60	0.33	38.20
WGDH475	0.00	0.80	1.00	62.90	1.61	0.77	9.06
WGDH475	0.80	2.00	1.16	74.50	0.68	0.84	3.77
WGDH475	2.00	3.00	1.39	76.20	0.98	0.84	4.00
WGDH475	3.00	4.00	1.19	73.50	0.90	1.01	3.87
WGDH475	4.00	5.00	1.16	74.70	1.13	0.97	3.84
WGDH475	5.00	6.00	1.54	72.60	1.14	1.36	4.47
WGDH475	6.00	7.00	1.56	72.30	1.07	1.77	4.48
WGDH475	7.00	8.00	1.75	64.80	3.98	1.44	10.20
WGDH475	8.00	9.10	1.12	20.70	29.30	0.31	36.90
WGDH476	0.00	1.00	1.28	70.50	1.37	1.53	7.66
WGDH476	1.00	2.00	1.97	27.50	21.10	0.38	36.10
WGDH476	2.00	2.27	2.07	12.50	32.90	0.17	43.90
WGDH477	0.00	1.00	1.28	29.50	10.70	0.36	44.90
WGDH477	1.00	2.00	1.06	18.90	24.50	0.26	43.60
WGDH477	2.00	2.40	1.14	13.30	19.30	0.18	57.80
WGDH477	2.40	2.85	0.97	12.80	30.60	0.17	44.00
WGDH478	0.00	1.00	1.22	53.00	7.29	0.87	17.20
WGDH478	1.00	2.00	1.47	28.20	20.10	0.42	36.40
WGDH479	0.00	0.50	1.00	23.80	20.00	0.37	37.40
WGDH479	0.50	1.50	0.78	15.00	25.20	0.18	47.80
WGDH479	1.50	2.50	0.87	13.80	15.10	0.16	61.20
WGDH479	2.50	3.50	1.19	16.20	23.40	0.20	47.00
WGDH479	3.50	4.50	1.03	13.30	27.50	0.16	46.00
WGDH479	4.50	5.50	0.77	12.40	28.10	0.16	46.40
WGDH479	5.50	6.50	0.42	9.56	32.50	0.12	45.20
WGDH479	6.50	7.05	0.39	9.08	30.20	0.12	48.80
WGDH480	0.00	0.80	0.76	70.70	1.66	1.90	8.41
WGDH480	0.80	1.60	0.87	62.60	5.21	1.54	15.10
WGDH480	1.60	2.00	0.64	17.90	28.10	0.28	39.40
WGDH480	2.00	2.80	1.38	15.20	29.60	0.23	39.50

WGDH480	2.80	3.70	1.50	19.60	27.60	0.28	39.70
WGDH481	0.00	1.20	0.90	66.50	1.51	0.66	6.40
WGDH481	1.20	2.07	1.05	66.50	2.72	0.78	7.87
WGDH481	2.07	3.20	1.15	78.30	1.46	2.02	3.12
WGDH481	3.20	4.20	1.19	72.40	1.12	2.17	3.81
WGDH481	4.20	5.20	1.17	75.40	1.05	1.35	3.81
WGDH481	5.20	6.20	1.46	70.70	1.71	1.50	4.99
WGDH481	6.20	7.42	1.41	40.80	18.40	0.69	25.30
WGDH482	0.00	1.00	0.22	26.10	1.04	0.36	31.10
WGDH482	1.00	2.00	0.34	34.20	1.10	0.42	26.50
WGDH482	2.00	3.00	0.76	50.20	1.67	0.67	19.50
WGDH482	3.00	4.00	0.73	44.90	2.71	0.50	22.30
WGDH482	4.00	5.10	0.69	35.50	12.10	0.36	27.00
WGDH483	0.00	0.24	0.09	11.00	3.50	0.18	63.70
WGDH483	0.24	1.30	0.02	6.04	2.98	0.10	57.80
WGDH483	1.30	2.00	0.12	6.99	2.98	0.12	55.00
WGDH483	2.00	2.50	0.06	6.10	2.51	0.09	55.70
WGDH483	2.50	3.20	0.08	9.25	6.12	0.10	56.00
WGDH483	3.20	3.60	0.31	8.99	32.90	0.16	40.20
WGDH484	0.00	0.70	0.26	19.90	3.46	0.32	50.10
WGDH485	0.00	0.40	0.76	11.40	29.10	0.20	42.40
WGDH486	0.00	1.00	0.70	42.80	7.62	0.44	22.60
WGDH486	1.00	2.00	1.06	57.30	2.83	0.94	14.60
WGDH486	2.00	3.00	0.99	58.30	1.99	0.81	13.80
WGDH486	3.00	4.00	1.41	60.00	4.62	0.85	15.50
WGDH486	4.00	5.00	1.82	41.80	12.40	0.61	29.40
WGDH486	5.00	6.00	1.60	29.70	21.20	0.48	36.30
WGDH487	0.00	1.20	0.20	28.70	1.26	0.15	29.20
WGDH487	1.20	2.20	0.44	48.70	1.79	0.58	18.60
WGDH487	2.20	3.20	0.78	70.70	1.18	1.35	5.16
WGDH487	3.20	4.20	0.86	67.80	1.10	1.16	7.04
WGDH487	4.20	4.60	1.54	56.60	7.03	1.04	17.20
WGDH488	0.00	0.80	0.17	22.30	0.81	0.07	28.60
WGDH488	0.80	1.60	0.15	20.10	0.24	0.02	29.30
WGDH488	1.60	2.40	0.18	15.40	0.23	0.03	36.10
WGDH488	2.40	3.20	0.15	11.60	0.34	0.13	41.70
WGDH488	3.20	4.00	0.15	13.00	0.53	0.09	47.00
WGDH488	4.00	4.80	0.68	68.20	1.03	1.18	6.68
WGDH488	4.80	5.60	0.64	65.80	1.05	0.84	8.72
WGDH488	5.60	6.40	0.82	68.40	1.46	0.81	6.60
WGDH488	6.40	7.20	0.64	50.30	1.25	0.86	17.30
WGDH488	7.20	8.00	1.09	67.50	1.50	0.98	6.52
WGDH488	8.00	8.80	1.15	71.00	1.55	1.09	4.93
WGDH488	8.80	9.60	1.26	64.70	3.20	1.72	8.91
WGDH488	9.60	10.40	1.18	59.20	4.46	1.61	17.50
WGDH488	10.40	11.20	0.68	34.60	0.67	0.60	55.10
WGDH488	11.20	12.00	0.77	22.00	10.80	0.31	57.90
WGDH488	12.00	12.80	1.09	12.50	17.30	0.18	59.20
WGDH488	12.80	13.60	1.16	11.30	21.60	0.15	55.50

WGDH488	13.60	14.40	0.95	16.50	16.40	0.25	55.80
WGDH488	14.40	15.30	0.64	13.20	20.90	0.19	45.00
WGDH489	0.00	1.00	0.05	13.70	0.66	0.01	31.60
WGDH489	1.00	2.00	0.03	14.40	0.23	0.01	22.50
WGDH489	2.00	3.00	0.02	16.50	0.16	0.01	16.60
WGDH489	3.00	4.00	0.05	18.70	0.23	0.02	15.90
WGDH489	4.00	5.00	0.06	17.10	0.22	0.02	16.80
WGDH489	5.00	6.00	0.08	21.00	0.30	0.03	15.80
WGDH489	6.00	7.00	0.27	32.20	0.58	0.10	14.80
WGDH489	7.00	8.00	0.69	73.90	1.05	0.50	5.30
WGDH489	8.00	8.80	0.74	65.80	0.82	1.05	8.73
WGDH489	8.80	9.60	0.60	57.80	0.84	0.72	13.10
WGDH489	9.60	10.40	0.91	69.60	1.02	1.13	5.49
WGDH489	10.40	11.20	0.20	9.43	1.08	0.33	46.20
WGDH489	11.20	12.00	0.21	8.15	1.02	0.13	50.00
WGDH489	12.00	12.80	0.17	8.20	1.09	0.18	49.60
WGDH489	12.80	13.60	0.16	8.10	0.95	0.26	51.20
WGDH489	13.60	14.40	0.17	8.15	0.85	0.14	50.60
WGDH489	14.40	15.20	0.15	8.38	0.74	0.16	49.70
WGDH489	15.20	16.00	0.12	8.45	0.59	0.19	51.20
WGDH489	16.00	16.80	0.11	8.37	0.59	0.18	49.90
WGDH489	16.80	18.00	0.14	9.08	0.56	0.19	49.40
WGDH490	0.00	0.80	0.04	13.10	1.16	0.08	32.40
WGDH490	0.80	1.60	0.03	15.40	0.16	0.01	20.70
WGDH490	1.60	2.40	0.08	21.10	0.21	0.02	14.50
WGDH490	2.40	3.20	0.29	36.50	0.57	0.11	15.70
WGDH490	3.20	4.00	0.46	51.80	0.84	0.20	11.00
WGDH490	4.00	4.80	0.56	65.10	0.77	0.65	7.48
WGDH490	4.80	5.60	0.76	69.60	0.64	0.81	11.00
WGDH490	5.60	6.40	0.48	61.20	2.08	0.59	12.20
WGDH490	6.40	7.20	0.54	57.30	6.78	0.60	18.30
WGDH490	7.20	8.00	0.68	59.90	4.94	1.30	17.70
WGDH490	8.00	8.80	0.41	42.90	1.48	0.50	25.90
WGDH490	8.80	9.60	0.14	14.50	1.53	0.40	39.20
WGDH490	9.60	11.60	0.13	14.60	2.40	0.35	38.60
WGDH491	0.00	1.00	0.16	23.80	0.64	0.28	26.90
WGDH491	1.00	2.00	0.24	26.90	0.33	0.07	24.80
WGDH491	2.00	3.00	0.18	25.30	0.28	0.05	23.80
WGDH491	3.00	4.00	0.24	27.40	0.35	0.07	25.50
WGDH491	4.00	5.00	0.35	28.90	0.41	0.17	29.60
WGDH491	5.00	6.00	1.03	58.30	0.80	0.47	8.72
WGDH491	6.00	7.10	0.42	31.80	0.37	0.25	23.80
WGDH491	7.10	8.00	0.91	61.00	0.88	1.59	9.38
WGDH491	8.00	9.00	1.01	67.90	0.76	2.32	8.39
WGDH491	9.00	10.50	0.85	65.60	0.80	2.11	10.30
WGDH491	10.50	12.00	0.67	61.70	0.68	0.84	22.50
WGDH491	12.00	13.00	0.58	25.00	15.80	0.53	48.50
WGDH491	13.00	14.50	0.40	12.50	31.20	0.19	44.50

WGDD007	0.00	0.60	0.37	38.60	1.86	0.12	19.80
WGDD007	0.60	1.00	0.41	41.30	2.19	0.18	18.90
WGDD007	1.00	2.00	0.79	60.60	2.03	0.81	9.18
WGDD007	2.00	3.00	0.90	62.30	3.04	0.64	9.28
WGDD007	3.00	4.00	0.74	58.30	3.81	0.89	11.40
WGDD007	4.00	4.25	0.49	9.19	42.80	0.12	41.40
WGDD007	4.25	5.00	1.19	53.20	7.55	0.88	20.80
WGDD007	5.00	6.00	1.16	53.90	7.39	1.06	20.30
WGDD007	6.00	7.00	1.54	60.00	3.63	1.87	13.20
WGDD007	7.00	8.00	0.96	41.60	9.89	0.63	30.20
WGDD007	8.00	8.50	1.09	48.90	6.28	0.79	24.20
WGDD007	8.50	8.70	0.29	8.09	43.90	0.11	40.80
WGDD007	8.70	9.35	1.21	37.00	10.60	0.53	35.70
WGDD007	9.35	10.00	0.29	7.91	44.10	0.11	41.40
WGDD007	10.00	10.30	0.28	8.07	44.50	0.11	40.90
WGDD007	10.30	10.70	1.68	29.60	17.10	0.41	38.40
WGDD007	10.70	11.00	0.53	8.08	42.20	0.11	43.00
WGDD007	11.00	11.80	0.34	7.46	44.20	0.10	41.10
WGDD008	0.00	0.60	0.41	39.20	3.02	0.12	19.10
WGDD008	0.60	1.00	0.43	39.90	3.07	0.17	18.80
WGDD008	1.00	2.00	0.35	36.00	2.69	0.13	18.70
WGDD008	2.00	3.00	0.38	38.30	2.61	0.21	15.80
WGDD008	3.00	4.00	0.63	56.00	2.70	0.67	10.40
WGDD008	4.00	5.00	0.76	64.50	1.86	0.72	10.30
WGDD008	5.00	6.00	0.83	63.00	2.55	0.98	10.90
WGDD008	6.00	7.00	0.89	63.50	2.91	1.57	9.41
WGDD008	7.00	8.00	0.97	68.80	1.49	2.04	5.56
WGDD008	8.00	9.00	0.90	68.70	1.73	1.40	5.76
WGDD008	9.00	10.00	1.05	70.90	1.16	1.27	4.50
WGDD008	10.00	11.00	1.06	57.40	6.36	1.59	15.50
WGDD008	11.00	11.05	0.35	8.03	43.30	0.12	43.50
WGDD008	11.05	11.45	1.32	44.80	11.90	0.91	26.70
WGDD008	11.45	12.00	0.27	7.34	42.30	0.11	42.90
WGDD008	12.00	13.00	0.32	8.13	43.90	0.11	41.00
WGDD008	13.00	13.20	0.30	8.21	43.90	0.11	41.10
WGDD009	0.00	0.60	0.49	39.40	2.96	0.17	16.20
WGDD009	0.60	1.00	0.74	48.20	3.61	0.44	13.60
WGDD009	1.00	2.00	1.00	51.50	7.23	0.63	18.10
WGDD009	2.00	2.50	0.85	48.80	10.30	0.76	22.90
WGDD009	2.50	3.10	0.36	8.33	43.40	0.11	41.50
WGDD009	3.10	4.00	1.17	34.20	19.40	0.49	31.00
WGDD009	4.00	4.85	1.03	30.50	19.20	0.47	36.90
WGDD009	4.85	5.40	0.38	8.40	43.80	0.11	41.40
WGDD009	5.40	6.15	0.97	25.10	22.80	0.36	37.40
WGDD009	6.15	6.40	0.38	8.24	43.40	0.11	41.40
WGDD009	6.40	7.30	1.17	30.90	19.60	0.46	31.50
WGDD009	7.30	8.20	0.43	8.29	42.40	0.12	41.30
WGDD009	8.20	8.75	1.29	23.60	22.90	0.35	40.00
WGDD009	8.75	9.20	0.99	12.10	35.70	0.16	42.60

WGDD009	9.20	10.00	0.67	8.34	39.70	0.11	42.00
WGDD009	10.00	11.00	0.65	9.90	37.10	0.14	41.20
WGDD009	11.00	11.60	0.78	10.60	36.90	0.14	41.90
WGDD010	0.00	0.60	0.13	22.40	2.38	0.05	18.30
WGDD010	0.60	1.00	0.34	36.00	1.25	0.04	10.60
WGDD010	1.00	2.00	0.60	52.10	2.39	0.15	8.51
WGDD010	2.00	3.00	0.58	55.10	6.10	0.91	14.30
WGDD010	3.00	4.00	0.73	59.00	5.20	0.88	12.40
WGDD010	4.00	5.00	0.91	63.70	1.72	1.20	12.00
WGDD010	5.00	6.00	0.89	67.90	2.04	1.27	7.13
WGDD010	6.00	7.00	0.90	68.00	2.42	1.36	7.64
WGDD010	7.00	8.00	0.93	53.80	5.24	1.05	22.50
WGDD010	8.00	8.50	0.88	39.60	16.80	0.75	27.40
WGDD010	8.50	9.10	1.15	11.90	32.10	0.16	43.30
WGDD010	9.10	9.60	1.47	19.00	25.50	0.28	41.40
WGDD010	9.60	9.80	0.46	8.10	40.70	0.12	41.30
WGDD010	9.80	11.00	1.45	12.10	29.90	0.16	43.50
WGDD010	11.00	11.85	1.29	13.30	30.60	0.18	41.60
WGDD010	11.85	13.00	0.66	9.02	33.10	0.12	45.00
WGDD010	13.00	14.00	0.31	10.00	35.20	0.14	44.90
WGDD010	14.00	14.90	0.29	9.49	38.20	0.13	43.80
WGDD010	14.90	15.60	0.26	8.34	41.40	0.12	42.10
WGDD010	15.60	16.40	0.29	8.48	39.80	0.12	43.20
WGDD011	0.00	0.60	0.20	26.10	1.97	0.08	19.40
WGDD011	0.60	1.00	0.33	35.60	1.99	0.13	15.10
WGDD011	1.00	2.00	0.74	61.40	2.35	1.06	7.28
WGDD011	2.00	3.00	0.85	65.70	1.93	1.03	6.27
WGDD011	3.00	4.00	0.77	68.90	1.61	1.30	5.32
WGDD011	4.00	5.00	0.98	70.00	1.62	1.10	5.19
WGDD011	5.00	6.00	0.93	67.60	2.63	0.98	7.84
WGDD011	6.00	7.00	1.23	68.10	1.95	1.40	7.33
WGDD011	7.00	7.20	1.17	48.50	7.77	0.83	26.50
WGDD011	7.20	8.00	0.34	8.14	42.80	0.11	40.60
WGDD011	8.00	8.30	0.31	8.02	42.40	0.11	41.30
WGDD011	8.30	9.00	1.74	49.40	5.84	0.70	24.90
WGDD011	9.00	9.50	1.59	46.20	6.60	0.66	28.20
WGDD011	9.50	10.00	0.29	7.84	43.00	0.11	42.20
WGDD011	10.00	10.70	0.25	7.78	43.40	0.11	40.70
WGDD012	0.00	0.60	0.22	34.60	1.65	0.06	14.80
WGDD012	0.60	1.00	0.48	51.80	2.32	0.17	10.30
WGDD012	1.00	2.00	0.75	62.80	2.12	0.67	7.24
WGDD012	2.00	3.00	1.05	63.60	3.05	0.89	8.31
WGDD012	3.00	3.80	0.98	66.70	2.67	1.09	7.84
WGDD012	3.80	4.50	0.64	8.66	41.00	0.11	41.60
WGDD012	4.50	5.10	0.42	8.26	42.20	0.11	41.90
WGDD012	5.10	6.00	1.62	35.20	15.90	0.49	34.00
WGDD012	6.00	7.00	0.67	9.06	40.90	0.12	42.00
WGDD012	7.00	8.00	0.53	8.42	41.80	0.11	41.40
WGDD012	8.00	8.30	0.45	8.39	42.30	0.11	41.50

WGDD013	0.00	1.00	0.07	16.50	1.13	0.04	19.00
WGDD013	1.00	2.00	0.24	30.50	2.26	0.05	13.40
WGDD013	2.00	3.00	0.78	56.00	2.69	0.15	10.30
WGDD013	3.00	4.00	0.79	60.40	2.48	0.28	8.16
WGDD013	4.00	5.00	0.89	69.10	1.27	0.75	4.73
WGDD013	5.00	6.00	0.82	64.90	2.38	1.21	6.84
WGDD013	6.00	7.00	0.79	66.90	1.87	1.15	6.45
WGDD013	7.00	8.00	0.98	63.90	2.19	1.46	11.30
WGDD013	8.00	9.00	1.32	62.10	3.31	1.42	11.10
WGDD013	9.00	9.50	1.19	64.60	2.84	1.54	10.30
WGDD013	9.50	10.80	1.14	17.40	31.60	0.24	39.20
WGDD013	10.80	11.60	0.87	9.79	38.10	0.14	41.40
WGDD013	11.60	12.00	1.59	12.40	29.60	0.16	43.40
WGDD013	12.00	12.70	2.17	23.60	20.00	0.34	40.00
WGDD013	12.70	12.95	0.82	9.07	40.00	0.12	42.10
WGDD013	12.95	13.15	1.91	13.00	28.70	0.18	43.90
WGDD013	13.15	14.20	0.34	7.81	42.30	0.11	39.80
WGDD014	0.00	0.60	0.36	32.80	5.02	0.49	26.80
WGDD014	0.60	1.00	0.39	35.10	4.50	0.42	25.70
WGDD014	1.00	2.00	0.41	41.80	2.75	0.44	19.20
WGDD014	2.00	2.50	0.38	39.60	2.66	0.47	17.80
WGDD014	2.50	2.90	0.09	19.30	4.51	0.16	35.00
WGDD014	2.90	3.90	0.58	45.20	5.07	0.72	18.30
WGDD014	3.90	4.35	0.46	8.77	41.30	0.12	41.60
WGDD014	4.35	4.93	1.57	20.50	23.60	0.29	40.20
WGDD014	4.93	5.60	1.35	11.90	34.80	0.16	41.20
WGDD014	5.60	6.25	1.30	19.60	23.10	0.24	41.80
WGDD014	6.25	6.62	1.05	11.10	34.70	0.13	42.00
WGDD014	6.62	7.03	1.37	22.20	22.20	0.25	40.30
WGDD014	7.03	8.00	0.68	9.56	39.60	0.13	42.10
WGDD014	8.00	8.90	0.78	12.20	35.70	0.15	41.50
WGDD014	8.90	9.15	1.37	34.30	12.40	0.15	35.10
WGDD014	9.15	9.30	0.90	12.40	35.40	0.12	42.10
WGDD014	9.30	9.40	1.28	29.30	16.90	0.12	37.60
WGDD014	9.40	9.55	0.81	11.20	35.40	0.10	41.20
WGDD014	9.55	9.70	1.05	20.10	21.60	0.11	43.70
WGDD014	9.70	10.30	0.65	10.60	36.30	0.12	43.20
WGDD014	10.30	10.55	0.88	16.60	26.20	0.20	45.00
WGDD014	10.55	11.00	0.35	8.34	41.80	0.12	41.70
WGDD015	0.00	0.60	0.43	35.30	1.52	0.08	16.20
WGDD015	0.60	1.00	0.53	46.20	1.70	0.32	12.70
WGDD015	1.00	2.00	0.92	62.80	1.29	0.79	6.57
WGDD015	2.00	3.00	1.16	65.90	1.45	1.02	5.95
WGDD015	3.00	4.00	1.15	63.10	3.20	1.13	9.53
WGDD015	4.00	4.80	0.92	51.50	7.41	1.13	20.70
WGDD015	4.80	4.90	0.35	9.59	42.00	0.13	41.20
WGDD015	4.90	5.20	1.34	62.90	3.21	0.93	11.90
WGDD015	5.20	6.00	1.41	65.10	3.04	1.05	10.20
WGDD015	6.00	6.10	0.70	26.00	27.30	0.31	33.50

WGDD015	6.10	7.00	1.45	50.70	5.16	0.63	20.50
WGDD015	7.00	8.00	1.50	57.80	3.69	0.92	15.30
WGDD015	8.00	8.35	1.75	50.60	6.06	0.81	21.50
WGDD015	8.35	9.10	0.28	8.18	43.50	0.11	41.40
WGDD015	9.10	10.00	1.33	18.10	29.10	0.28	39.50
WGDD015	10.00	11.00	1.78	41.50	10.40	0.72	28.20
WGDD015	11.00	11.60	1.93	46.20	7.92	0.52	26.20
WGDD015	11.60	12.50	0.34	7.88	42.30	0.11	40.80
WGDD015	12.50	13.16	1.29	30.60	16.50	0.43	36.70
WGDD015	13.16	13.60	0.39	8.01	42.90	0.11	41.30
WGDD015	13.60	14.00	1.61	36.00	15.00	0.46	28.80
WGDD015	14.00	15.20	0.57	9.50	41.50	0.13	41.10
WGDD015	15.20	15.50	1.54	34.30	16.30	0.55	31.30
WGDD015	15.50	15.70	0.35	8.38	43.20	0.12	42.40
WGDD015	15.70	15.85	1.46	24.60	20.70	0.34	38.70
WGDD015	15.85	16.15	0.61	10.00	41.00	0.13	42.80
WGDD015	16.15	16.85	0.80	12.80	36.20	0.17	42.00
WGDD015	16.85	17.50	0.42	41.60	1.88	0.11	19.10
WGDD016	0.00	0.60	0.34	8.79	43.30	0.12	42.70
WGDD016	0.60	1.00	0.46	44.90	1.62	0.16	16.80
WGDD016	1.00	2.00	0.66	54.60	1.72	0.41	10.90
WGDD016	2.00	3.00	0.96	63.50	1.62	0.72	6.94
WGDD016	3.00	4.00	0.96	65.30	2.25	0.96	7.23
WGDD016	4.00	5.00	1.07	66.50	1.63	1.06	5.40
WGDD016	5.00	6.00	0.95	68.80	1.34	1.38	5.12
WGDD016	6.00	7.00	0.96	68.00	1.45	1.19	7.34
WGDD016	7.00	8.10	1.33	54.70	4.48	0.77	18.00
WGDD016	8.10	9.13	0.50	8.57	42.70	0.12	42.40
WGDD016	9.13	9.27	1.38	28.40	20.20	0.48	36.20
WGDD016	9.27	10.00	0.56	8.43	42.50	0.12	42.20
WGDD016	10.00	10.30	0.86	11.60	38.50	0.17	42.40
WGDD016	10.30	11.20	0.96	10.90	38.40	0.15	43.00
WGDD016	11.20	11.80	0.41	8.65	43.80	0.13	42.30
WGDD017	0.00	0.60	0.25	29.00	1.50	0.13	20.50
WGDD017	0.60	1.00	0.26	31.40	1.21	0.13	18.60
WGDD017	1.00	2.00	0.34	36.10	1.13	0.27	14.90
WGDD017	2.00	3.00	0.69	55.90	3.25	0.98	11.20
WGDD017	3.00	4.00	1.01	62.90	2.99	1.18	8.88
WGDD017	4.00	5.00	1.14	54.00	5.96	1.24	20.40
WGDD017	5.00	6.00	1.82	46.50	7.97	0.73	27.50
WGDD017	6.00	6.37	1.78	31.40	17.10	0.45	34.10
WGDD017	6.37	6.50	0.95	8.54	39.10	0.12	42.30
WGDD017	6.50	7.62	1.67	17.60	29.10	0.24	39.50
WGDD017	7.62	8.00	0.51	8.44	43.10	0.12	43.20
WGDD017	8.00	8.30	1.82	19.20	26.40	0.26	38.10
WGDD017	8.30	9.00	0.48	8.46	41.20	0.12	41.40
WGDD017	9.00	10.00	1.11	12.10	32.40	0.16	42.30
WGDD017	10.00	10.60	0.78	10.40	35.80	0.14	42.10
WGDD017	10.60	11.20	0.29	7.97	41.60	0.11	41.90

WGDD017	11.20	11.50	0.51	10.90	31.30	0.14	44.30
WGDD017	11.50	12.20	0.41	8.03	41.20	0.11	41.90
WGDD018	0.00	0.60	0.33	37.10	2.12	0.11	20.80
WGDD018	0.60	1.00	0.48	50.60	2.58	0.21	14.50
WGDD018	1.00	2.00	0.56	56.80	2.97	0.38	12.90
WGDD018	2.00	3.00	0.70	64.60	3.17	0.92	8.68
WGDD018	3.00	4.00	0.90	63.50	3.53	1.07	9.28
WGDD018	4.00	5.00	1.22	63.00	5.33	1.14	10.50
WGDD018	5.00	5.42	1.29	54.30	7.68	0.82	18.10
WGDD018	5.42	5.60	0.34	9.69	42.70	0.13	42.40
WGDD018	5.60	6.00	1.46	46.30	7.81	0.67	25.70
WGDD018	6.00	7.00	0.46	8.58	43.00	0.12	42.90
WGDD018	7.00	7.30	0.37	9.27	43.00	0.12	37.80
WGDD018	7.30	8.20	1.65	20.50	24.70	0.28	40.10
WGDD018	8.20	9.00	1.21	10.70	35.60	0.14	39.60
WGDD018	9.00	9.60	0.59	7.86	40.70	0.11	41.60
WGDD018	9.60	9.80	1.75	12.40	29.10	0.16	43.20
WGDD018	9.80	10.06	1.27	9.00	37.40	0.12	42.70
WGDD018	10.06	11.00	1.43	12.50	29.90	0.18	44.20
WGDD018	11.00	11.30	0.92	10.20	35.80	0.15	43.00
WGDD018	11.30	11.40	0.36	8.14	42.10	0.11	40.60
WGDD018	11.40	11.78	0.90	13.10	31.30	0.18	43.70
WGDD018	11.78	12.70	0.30	7.68	45.20	0.11	38.10
WGDD019	0.60	1.00	0.54	46.80	2.50	0.30	16.80
WGDD019	1.00	1.50	0.67	56.50	3.97	0.45	12.40
WGDD019	1.50	2.40	0.86	61.00	4.10	0.62	10.80
WGDD019	2.40	3.20	0.64	11.10	39.10	0.15	40.90
WGDD019	3.20	3.80	0.41	8.08	42.20	0.11	41.60
WGDD019	3.80	4.50	0.54	9.04	38.80	0.12	41.90
WGDD019	4.50	5.20	0.50	9.46	37.20	0.12	41.50
WGDD019	5.20	5.80	0.30	8.46	39.40	0.12	42.20
WGDD019	5.80	6.50	0.33	9.45	38.20	0.13	43.00
WGDD019	6.50	7.00	0.28	7.83	44.70	0.11	41.90
WGDD019	7.00	7.80	0.31	7.80	43.50	0.11	42.40